

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 25
Pro Poxy



MATERIAL SAFETY INFORMATION SERVICE

Hercules Chemical Company Inc.
 111 South Street
 Passaic NJ 07055
 Phone (800) 221-9330
 Fax (800) 333-3456

Date Prepared: 7/8/1993 Last Reviewed: 7/8/1993

Meets OSHA 29 CFR 1910.1200

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s), CAS Numbers)	OSHA PEL	ACGIH TLV	Other Limits	Upper Bound Limit if SARA Reportable
Polyamide Resin (68915-59-3)	N/A	Unavailable	N/A	--
Epoxy Resin (Diglycidyl Ether of Bisphenol A) C	N/A	19.8 g/kg (Oral LD ₅₀)	N/A	--

HMIS Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: B

Section 3 - Physical/Chemical Characteristics

Boiling Point (°C):	Specific Gravity (H ₂ O = 1):	Vapor Density (Air = 1):	Vapor Pressure (mm Hg):
N/A	1.9	N/A	N/A
Melting Point (° F)	Evaporation Rate: (Butyl Acetate = 1)	Solubility in Water:	
N/A		Not soluble	
Appearance And Color:	2 components in mastic form: Off-white gray/black	Odor:	Mercaptan odor

Section 4 - Fire And Explosion Hazard Data

Flash Point:	Flammable Limits:	LEL:	UEL:
None	N/A		

Extinguishing Media: Water spray, foam, CO₂, & dry chemical.

Special Firefighting Procedures:
 None

Unusual Fire And Explosion Hazards:
 None

Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable Conditions To Avoid: None

Incompatibility None
(Materials To Avoid):

Hazardous Decomposition: Carbon monoxide, aldehydes, acids, oxides of sulfur and nitrogen may be formed.

Hazardous Polymerization: Will Not Occur

Section 6 - Health Hazard Data

Routes of Entry: Inhalation N/A Skin YES/Secondary Ingestion YES/Secondary

Health Hazards:
None known

Carcinogenicity: NTP NO IARC NO OSHA Regulated NO

Signs And Symptoms of Exposure:

None

Medical Conditions Generally Aggravated By Exposure:

None

Emergency And First Aid Procedures:

SKIN: After using wash hands with soap and water. EYES: Flush with water for 15 minutes. Get medical attention.
INGESTION: Induce vomiting. Get medical attention immediately.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:

Steps To Be Taken In Case Material Is Released Or Spilled:

Waste Disposal Method:

Precautions To Be Taken In Handling And Storing:

Other Precautions:

None

Section 8 - Control Measures:

Respiratory Protection:

N/A

Ventilation: Local Exhaust Adequate
Mechanical N/A

Special N/A

Gloves: Polyethylene gloves for prolonged u

Other: N/A

Eye Protection: Safety glasses

Other Protective
Clothing: None required

Work/Hygienic Practices Use good personal hygiene practices. Wash thoroughly after handling.

**F**ACTS
axed
AST!

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.