



# SEPTIC-FLOW<sup>®</sup>

## Septic Products



### DESCRIPTION

Concentrated liquid formula designed to improve the efficiency of all types of septic and wastewater treatment systems.

Each ounce of **Septic-Flow** contains billions of super-active micro-organisms adapted for rapid and complete waste degradation. Unique microbial characteristics include faster germination and reproduction rates, production of a wide variety and greater quantity of enzymes, and functionality in both low and normal oxygen levels.

**Septic-Flow** performs over a wide variety of conditions — temperature and pH variations or the presence of household cleaners and disinfectants have little effect on product performance. Unique growth characteristics increase the rate of respiration of existing septic system bacteria resulting in a faster reduction of organics in the septic tank, less frequent cleanings, and carry-through of specialized bacteria to maintain a clean and proper flow in drainage beds.

Regular use of **Septic-Flow** inhibits the growth of sulfide producing bacteria which slows the bacterial digestive process. Excess sulfide can be a source of odors, corrosive acids, toxins and can cause drainfield failure.

### SIZES AND PACKING

STOCK NO.	SIZE	PACKING	WEIGHT/CASE
139302	1/2 gal.	6	27 lbs.

SEPTIC-FLOW<sup>®</sup>

Septic Products

# SEPTIC-FLOW<sup>®</sup>

## Septic Products

### APPROVALS AND LISTINGS

Massachusetts Title V

### SPECIFIC USES

Use **Septic-Flow** regularly to eliminate back-ups, odors and corrosion, and to extend the life of the entire septic system.

### SPECIFIC APPLICATIONS\*

**Septic-Flow** works in septic tanks, cesspools, dry wells, leach tanks and drainfields.

### PHYSICAL PROPERTIES

Density:	8.4 lb./gallon
Stability:	Greater than 2 years
pH:	7.0 - 7.5
Bacterial Count:	4.5 billion per ounce minimum.
Enzymes Produced:	Primarily Lipase, Protease, Amylase & Cellulase
Bacterial Type:	Five strain sporulating sp.
Function Range:	40-130°F, pH 5.0 - 9.8
Fragrance:	Lemon
Appearance and color:	Opaque green liquid

### WARNINGS OR CAUTIONS

- Read all cautions and directions carefully before using this product.
- Avoid contact with eyes and skin.
- Harmful if swallowed.
- May cause mild allergenic response or mild irritation to eyes and skin in some individuals.
- Store in original container in a cool, dry place.
- Do not reuse empty container. Rinse container and discard in trash or recycle.

### DIRECTIONS FOR USE

**Septic-Flow** is a system maintainer and is not recommended for restoring a failed system. Add **Septic-Flow** to any drain in the suggested amounts, followed by one cup of water, or add directly to toilet and flush.

For average (3-bedroom home) 1000 gal. septic tanks add 1/3 bottle, (21 ounces) every two months. For cesspools, undersized, or high volume use systems add 1/3 bottle, (21 ounces) every month.



### MATERIAL SAFETY INFORMATION

FOR MORE INFORMATION ON THIS PRODUCT, REQUEST MATERIAL SAFETY DATA SHEET (MSDS) #213

For Delivery by Fax	Call 1-800-942-4636
Internet	See MSDS section of <a href="http://www.cloroben.com">www.cloroben.com</a>
Mail	Contact Cloroben at address below or any Cloroben representative

HMIS Hazard warning 1-0-0-B

### INGREDIENTS

### CAS#

Water based cleaner containing biodegradable surfactants and microbial spores.

\* For special applications which may not be covered on this or other Cloroben literature, please contact Cloroben Technical Services Department by phone at 1-800-221-9330 or send a fax to 1-800-333-3456.



**CLOROBEN PRODUCTS**  
**Hercules Chemical Company, Inc.**

111 South Street, Passaic, NJ 07055-9100  
 Phone: 800-221-9330 • Fax: 800-333-3456  
 e-mail: [cloro@herchem.com](mailto:cloro@herchem.com)